

(REACH regulation (EC) n°1907/2006 - n°2015/830)

I – IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**I.I – PRODUCT IDENTIFIER****Product name:** ALGONITE-G**Product code:** OLMIX-008**I.II – RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST**

Mineral complementary feed for all animal species.

I.III – DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Registered company name: OLMIX S.A.
Z.A. du Haut du Bois
56580 BREHAN - France

Telephone +33 (0) 297 38 81 03
Fax +33 (0) 297 38 86 58
E-mail contact@olmix.com
http://www.olmix.com

I.IV – EMERGENCY TELEPHONE NUMBER: +33 (0)1 45 42 59 59Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>**II – HAZARDS IDENTIFICATION****II.I – CLASSIFICATION OF THE SUBSTANCE OR MIXTURE****In compliance with EC regulation No. 1272/2008 and its amendments.**

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

II.II – LABEL ELEMENTS**In compliance with EC regulation No. 1272/2008 and its amendments.**

No labelling requirements for this mixture.

II.III – OTHER HAZARDSThe mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

III – COMPOSITION / INFORMATION ON INGREDIENTS**III.II – MIXTURES****Composition:**

Identification	(EC) 1272/2008	Note	%
CAS: 61790-53-2 DIATOMACEOUS EARTH		[1]	25 <= x % < 50
CAS: 14808-60-7 EC: 238-878-4 QUARTZ (SiO2)		[1]	1 <= x % < 2.5
CAS: 140-11-4 EC: 205-399-7 BENZYL ACETATE	Aquatic chronic 3, H412	[1]	0 <= x % < 1
CAS: 100-52-7 EC: 202-860-4 BENZALDEHYDE	GHS07 Wng Acute tox. 4, H332	[1]	0 <= x % < 1

	Acute tox. 4, H332 Eye irrit. 2, H319 STOT SE 3, H335		
INDEX: 607-130-00-2 CAS: 123-92-2 EC: 204-662-3 ISOPENTYL ACETATE	GHS02 Wng Flam. Liq. 3, H226 EUH:066	C [1]	0 ≤ x % < 1

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

IV – FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

IV.I – DESCRIPTION OF FIRST AID MEASURES**In the event of splashes or contact with eyes:**

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of swallowing:

Seek medical attention, showing the label.

IV.II – MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

No data available.

IV.III – INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No data available.

V – FIREFIGHTING MEASURES

Non-flammable.

V.I – EXTINGUISHING MEDIA

No data available.

V.II – SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

V.III ADVICE FOR FIREFIGHTERS

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

VI – ACCIDENTAL RELEASE MEASURES**VI.I – PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

VI.II – ENVIRONMENTAL PRECAUTIONS

Prevent any material from entering drains or waterways.

VI.III – METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Retrieve the product by mechanical means (sweeping/vacuuming).

VI.IV – REFERENCE TO OTHER SECTIONS

No data available.

VII – HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

VII.I – PRECAUTIONS FOR SAFE HANDLING

Always wash hands after handling.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

VII.II – CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

VII.III – SPECIFIC END USE(S)

No data available.

VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

VIII.I – CONTROL PARAMETERS

Occupational exposure limits

- European Union (2009/161/EU, 2006/15/EC, 2000/39/EC, 98/24/EC)

CAS	VME-mg/m ³ :	VME-ppm:	VLE-mg/m ³ :	VLE-ppm:	Notes:
123-92-2	270	50	540	100	-

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
61790-53-2	10 mg/m ³	-	-	-	I
14808-60-7	0.05 mg/m ³	-	-	-	R
123-92-2	50 ppm	100 ppm	-	-	-
140-11-4	10 ppm	-	-	-	-

- Germany - AGW (BAuA - TRGS 900, 21/06/2010):

CAS	VME :	VME :	Excess:	Notes:
61790-53-2	-	4 mg/m ³ E	-	DFG. Y. 1
123-92-2	50 ml/m ³	270 mg/m ³	1(I)	DFG, EU

- Belgium (Order of 19/05/2009, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
61790-53-2	10 mg/m ³	-	-	-	-
14808-60-7	0.1 mg/m ³	-	-	-	-
123-92-2	50 ppm	100 ppm	-	-	-
140-11-4	10 ppm	-	-	-	-

- France (INRS - ED984 : 2008) :

CAS	VME-ppm:	VME-mg/m ³ :	VLE-ppm:	VLE-mg/m ³ :	Notes:	TMP No:
14808-60-7	-	0.1 A	-	-	-	25
123-92-2	50	270	100	540	-	84

- Switzerland (SUVA 2009):

CAS	VME-mg/m ³ :	VME-ppm:	VLE-mg/m ³ :	VLE-ppm:	Temps:	RSB:
61790-53-2	4i	-	-	-	-	-
14808-60-7	0,15 a	-	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
61790-53-2	1.2 mg/m ³	-	-	-	R
14808-60-7	0.3 mg/m ³	-	-	-	R
123-92-2	50 ppm	100 ppm	-	-	-

- USA / AIHA WEEL (American Industrial Hygiene Association, Workplace Environmental Exposure Limit, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
100-52-7	2 mg/m ³	4 mg/m ³	-	-	-

VIII.II – EXPOSURE CONTROLS

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Suitable type of protective clothing:

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing dust.

Type of FFP mask:

Wear a disposable half-mask dust filter in accordance with standard EN149.

IX – PHYSICAL AND CHEMICAL PROPERTIES**IX.I – INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES****General information:**

Physical state: Solid.
- as semolina.
Colour: Light brown.

Important health, safety and environmental information

pH: 7 +/- 0.5
Neutral

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: 0.7

Water solubility: Insoluble.

IX.II – OTHER INFORMATION

No data available.

X – STABILITY AND REACTIVITY**X.I – REACTIVITY**

No data available.

X.II – CHEMICAL STABILITY

This mixture is stable under the recommended handling and storage conditions in section 7.

X.III – POSSIBILITY OF HAZARDOUS REACTIONS

No data available.

X.IV – CONDITIONS TO AVOID

Avoid:

- formation of dusts

Dusts can form an explosive mixture with air.

X.V – INCOMPATIBLE MATERIALS

No data available.

X.VI – HAZARDOUS DECOMPOSITION PRODUCTS

No data available.

XI – TOXICOLOGICAL INFORMATION**XI.I – INFORMATION ON TOXICOLOGICAL EFFECTS**

No data available.

XI.I.I – SUBSTANCES**Acute toxicity:**

BENZALDEHYDE (CAS: 100-52-7)

Oral route :

LD50 = 1430 mg/kg

ACÉTATE DE BENZYLE (CAS: 140-11-4)

Oral route :

LD50 = 2490 mg/kg

XI.I.II – MIXTURE

No toxicological data available for the mixture.

XII – ECOLOGICAL INFORMATION**XII.I – TOXICITY****XII.I.II – MIXTURES**

No aquatic toxicity data available for the mixture.

XII.II – PERSISTENCE AND DEGRADABILITY

No data available.

XII.III – BIOACCUMULATIVE POTENTIAL

No data available.

XII.IV – MOBILITY IN SOIL

No data available.

XII.V – RESULTS OF PBT AND VPVB ASSESSMENT

No data available.

XII.VI – OTHER ADVERSE EFFECTS

No data available.

German regulations concerning the classification of hazards for water (WGK):

WGK 2 (VwVwS vom 27/07/2005, KBws): Hazardous for water.

XIII – DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

XIII.I – WASTE TREATMENT METHODS

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

XIV – TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2015).

XV – REGULATORY INFORMATION

XV.I – SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions:


No data available.

- German regulations concerning the classification of hazards for water (WGK):

WGK 2 (VwVwS vom 27/07/2005, KBws): Hazardous for water.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704):

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



- Swiss ordinance on the incentive tax on volatile organic compounds:

140-11-4 acétate de benzyle

XV.II – CHEMICAL SAFETY ASSESSMENT

No data available.

XVI – OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

Title for H, EUH and R indications mentioned in section 3:

- | | |
|--------|---|
| H226 | Flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Abbreviations:

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.