

Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015 SDS ID: 5015

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

Tactical Start[™] NAP Starter Pellet No Porcine, Product Code: 5015 **Product Use** A Complete Livestock Feed. **Restrictions on Use** Use Only as Directed on Label. Provide fresh, clean water at all times.

Details of the supplier of the safety data sheet

Ralco Nutrition, Inc. 1600 Hahn Road Marshall, MN 56258 Phone: 1-800-533-5306

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Reproductive Toxicity - Category 2

Hazardous to the Aquatic Environment - Acute - Category 3 Hazardous to the Aquatic Environment - Chronic - Category 3

GHS Label Elements

Symbol(s)



Signal Word

Warning

Hazard Statement(s)

Suspected of damaging fertility or the unborn child.

Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release to the environment.

Response

IF exposed or concerned: Get medical advice/attention.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

May form combustible dust concentrations in air.



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015

SDS ID: 5015

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
n/a	Dried Whey	20-50
n/a	Oat Groats (Reground)	15-45
n/a	Soy Meal	10-35

Section 4 - FIRST AID MEASURES

Description of Necessary Measures

IF exposed or concerned: Get medical advice/attention.

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin

Wash thoroughly after handling.

Eyes

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

Rinse mouth thoroughly with water.

Most Important Symptoms/Effects

Acute

None Known.

Delayed

Suspected of damaging fertility or the unborn child.

Note to Physicians

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Water spray, regular dry chemical, carbon dioxide, fire-fighting foam.

Unsuitable Extinguishing Media

None Known.

Hazardous Combustion Products

May form combustible dust concentrations in air.

Fire Fighting Measures

Co-ordinate fire-fighting measures to the fire surroundings.

Knock down dust with water spray jet.

Special Protective Equipment and Precautions for Firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015

SDS ID: 5015

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use Personal Protective equipment as required.

Methods and Materials for Containment and Cleaning Up

Collect in closed and suitable containers for disposal.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental Precautions

Harmful to aquatic life with long lasting effects. A

void release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Do not handle until all safety precautions have been read and understood.

Use Personal Protective equipment as required.

Conditions for Safe Storage, Including any Incompatibilities

Store locked up.

Store in a well-ventilated place.

Keep container tightly closed.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Calcium carbonate	471-34-1		
NIOSH:	10 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable dust		
Red iron oxide	1309-37-1		
ACGIH:	5 mg/m3 TWA respirable particulate matter		
NIOSH:	5 mg/m3 TWA as Fe dust and fume		
	2500 mg/m3 IDLH as Fe dust and fume		
OSHA (US):	10 mg/m3 TWA fume ; 15 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable fraction		
Mexico:	5 mg/m3 TWA VLE-PPT		
	10 mg/m3 STEL [PPT-CT] as Fe		
Diatomaceous earth	61790-53-2		
OSHA (US):	((80)/(% SiO2) mg/m3 TWA); 20 mppcf TWA		
Mexico:	10 mg/m3 TWA VLE-PPT inhalable fraction		



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015

SDS ID: 5015

Silica, amorphous, precipitated and gel	112926-00-8		
OSHA (US):	20 mppcf TWA ; ((80)/(% SiO2) mg/m3 TWA)		
Mexico:	10 mg/m3 TWA VLE-PPT		
Zinc oxide	1314-13-2		
ACGIH:	2 mg/m3 TWA respirable particulate matter		
	10 mg/m3 STEL respirable particulate matter		
NIOSH:	5 mg/m3 TWA dust and fume		
	10 mg/m3 STEL fume		
	15 mg/m3 Ceiling dust		
	500 mg/m3 IDLH		
OSHA (US):	5 mg/m3 TWA fume ; 15 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable fraction		
Mexico:	5 mg/m3 TWA VLE-PPT fume ; 10 mg/m3 TWA VLE-PPT dust		
	10 mg/m3 STEL [PPT-CT] fume		
Selenium	7782-49-2		
ACGIH:	0.2 mg/m3 TWA		
NIOSH:	0.2 mg/m3 TWA		
	1 mg/m3 IDLH		

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Sufficient to maintain atmospheric concentrations below applicable regulatory limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear eye/face protection.

Skin Protection

Wear suitable protective clothing.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Glove Recommendations

Wear protective gloves.



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015

SDS ID: 5015

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES					
Appearance	Pellet.	Physical State	Solid.		
Odor	Cereal.	Color	Cream colored.		
Odor Threshold	Not available	рН	Not available		
Melting Point	Not available	Boiling Point	Not available		
Boiling Point Range	Not available	Freezing point	Not available		
Evaporation Rate	Not available	Flammability (solid, gas)	Not available		
Autoignition Temperature	Not available	Flash Point	Not available		
Lower Explosive Limit	Not available	Decomposition temperature	Not available		
Upper Explosive Limit	Not available	Vapor Pressure	Not available		
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available		
Water Solubility	Not available	Partition coefficient: n- octanol/water	Not available		
Viscosity	Not available	Kinematic viscosity	Not available		
Solubility (Other)	Not available	Density	Not available		
Molecular Weight	Not available				

Section 10 - STABILITY AND REACTIVITY

Reactivity

No known hazardous reactions.

Chemical Stability

The product is stable under storage at normal ambient temperatures.

Conditions to Avoid

Avoid contact with incompatible materials.

Incompatible Materials

None Known.

Hazardous decomposition products

None Known.



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015 SDS ID: 5015

Section 11 - TOXICOLOGICAL INFORMATION

Acute and Chronic Toxicity **Component Analysis - LD50/LC50** The components of this material have been reviewed in various sources and the following selected endpoints are published: Corn oil (8001-30-7) Oral LD50 Rat >100 mL/kg Calcium carbonate (471-34-1) Oral LD50 Rat 6450 mg/kg Monocalcium phosphate (7758-23-8) Oral LD50 Rat 3986 mg/kg Dermal LD50 Rabbit >2 g/kg L-Lysine HCl (657-27-2) Oral LD50 Rat 10 g/kg Red iron oxide (1309-37-1) Oral LD50 Rat >10000 mg/kg Sodium chloride (7647-14-5) Oral LD50 Rat 3 g/kg Inhalation LC50 Rat >42 g/m3 1 h L-Methionine (63-68-3) Oral LD50 Rat 36 g/kg L-Tryptophan (73-22-3) Oral LD50 Rat >16 g/kg White mineral oil (8042-47-5) Oral LD50 Rat >5000 mg/kg Vitamin A acetate (127-47-9) Oral LD50 Rat 4980 mg/kg Sodium saccharin (128-44-9) Oral LD50 Rat 14200 mg/kg Zinc oxide (1314-13-2) Oral LD50 Rat >5000 mg/kg (in water ;no deaths occurred) Copper chloride hydroxide (1332-40-7) Oral LD50 Rat 833 mg/kg Dermal LD50 Rat >5000 mg/kg Calcium pantothenate (137-08-6) Oral LD50 Rat >10 g/kg Sodium bicarbonate (144-55-8) Oral LD50 Rat 4220 mg/kg Pyridoxine hydrochloride (58-56-0) Oral LD50 Rat 4000 mg/kg Niacin (59-67-6) Oral LD50 Rat 7 g/kg Dermal LD50 Rat >2000 mg/kg Vitamin D3 (67-97-0) Oral LD50 Rat 42 mg/kg Dermal LD50 Rat 61 mg/kg (males)



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015 SDS ID: 5015

Inhalation LC50 Rat 0.13 - 0.38 mg/L 4 h Zinc sulfate, monohydrate (7446-19-7) Oral LD50 Mouse 1891 mg/kg Potassium chloride (7447-40-7) Oral LD50 Rat 2600 mg/kg Oils, lemongrass (8007-02-1) Oral LD50 Rat >5 g/kg Selenium (7782-49-2) Oral LD50 Rat 6700 mg/kg Oils, origanum (8007-11-2) Oral LD50 Rat 1850 mg/kg Riboflavin (83-88-5) Oral LD50 Rat >10 g/kg

Product Toxicity Data Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Inhalation - Dust and Mist	> 5 mg/L
Oral	> 2000 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

Red iron oxide	1309-37-1		
ACGIH:	A4 - Not Classifiable as a Human Carcinogen		
IARC:	Supplement 7 [1987] ; Monograph 1 [1972] (Group 3 (not classifiable))		
DFG:	Category 3B (could be carcinogenic for man ;with the exception of non- bioavailable Ferrous oxides)		
Diatomaceous earth	61790-53-2		
IARC:	Monograph 68 [1997] (Group 3 (not classifiable))		
Clinoptilolite	12173-10-3		



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015

SDS ID: 5015

IARC:	Monograph 68 [1997] (Group 3 (not classifiable))		
Cobalt carbonate hydroxide	12602-23-2		
IARC:	Monograph 52 [1991] (Group 2B (possibly carcinogenic to humans))		
OSHA:	Present		
Silica, amorphous, precipitated and gel	112926-00-8		
IARC:	Monograph 68 [1997] (Group 3 (not classifiable))		
Sodium saccharin	128-44-9		
IARC:	Monograph 73 [1999] (downgraded from 2B to 3); Supplement 7 [1987] ; Monograph 22 [1980] (Group 3 (not classifiable))		
Selenium	7782-49-2		
IARC:	Supplement 7 [1987] ; Monograph 9 [1975] (Group 3 (not classifiable))		
DFG:	Category 3B (could be carcinogenic for man)		

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available.

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015

SDS ID: 5015

٦

Section 12 - ECOLOGICAL INFORMATION					
nponent Analysis - Aquatic Toxicity					
Sodium chloride	7647-14-5				
Fish:	LC50 96 h Lepomis macrochirus 5560 - 6080 mg/L [flow-through]; LC50 96 h Lepomis macrochirus 12946 mg/L [static]; LC50 96 h Pimephales promelas 6020 - 7070 mg/L [static]; LC50 96 h Pimephales promelas 7050 mg/L [semi-static]; LC50 9 h Pimephales promelas 6420 - 6700 mg/L [static]; LC50 96 h Oncorhynchus mykiss 4747 - 7824 mg/L [flow-through]				
Invertebrate:	EC50 48 h Daphnia magna 1000 mg/L IUCLID ; EC50 48 h Daphnia magna 340.7 - 469.2 mg/L [Static] EPA				
White mineral oil	8042-47-5				
Fish:	LC50 96 h Lepomis macrochirus >10000 mg/L				
Sodium saccharin	128-44-9				
Fish:	LC50 96 h Pimephales promelas 16400 - 20400 mg/L [static] (30 days old)				
Sodium bicarbonate	144-55-8				
Fish:	LC50 96 h Lepomis macrochirus 8250 - 9000 mg/L [static]				
Invertebrate:	EC50 48 h Daphnia magna 2350 mg/L IUCLID				
Niacin	59-67-6				
Fish:	LC50 96 h Salmo trutta 520 mg/L				
Algae:	EC50 72 h Desmodesmus subspicatus 89.93 mg/L IUCLID				
Invertebrate:	EC50 48 h Daphnia magna 77 mg/L IUCLID				
Potassium chloride	7447-40-7				
Fish:	LC50 96 h Lepomis macrochirus 1060 mg/L [static]; LC50 96 h Pimephales promelas 750 - 1020 mg/L [static]				
Algae:	EC50 72 h Desmodesmus subspicatus 2500 mg/L IUCLID				
Invertebrate:	EC50 48 h Daphnia magna 825 mg/L IUCLID ; EC50 48 h Daphnia magna 83 mg/L [Static] EPA				



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015

SDS ID: 5015

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations. Avoid release to the environment.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

No Classification assigned.

International Bulk Chemical Code

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Corn oil	8001-30-7			
IBC Code:	Category Y			
Potassium chloride	7447-40-7			
IBC Code:	Category Z (solution)			

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Selenium	7782-49-2
SARA 313:	1 % de minimis concentration
CERCLA:	100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories Reproductive Toxicity



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Corn oil	8001-30-7	No	No	No	No	Yes
Red iron oxide	1309-37-1	Yes	Yes	Yes	Yes	Yes
Diatomaceous earth	61790-53-2	No	No	Yes	Yes	No
Silica, amorphous, precipitated and gel	112926-00-8	No	Yes	Yes	Yes	Yes
Sodium saccharin	128-44-9	No	Yes	No	No	Yes
Zinc oxide	1314-13-2	Yes	Yes	Yes	Yes	Yes
Selenium	7782-49-2	Yes	Yes	No	Yes	Yes

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

Canada Regulations

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Red iron oxide	1309-37-1	1 %
Zinc oxide	1314-13-2	1 %
Oils, lemongrass	8007-02-1	1 %
Selenium	7782-49-2	0.1 %



Material Name: Tactical Start™ NAP Starter Pellet No Porcine, Product Code: 5015

SDS ID: 5015

Component Analysis - Inventory

Dried Whey (n/a)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
No	No	No	No	No	No	No	No	No	No	No	No	No	No	No

Oat Groats (Reground) (n/a)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	МХ	TW	VN (Draft)
No	No	No	No	No	No	No	No	No	No	No	No	No	No	No

Soy Meal (n/a)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	МХ	TW	VN (Draft)
No	No	No	No	No	No	No	No	No	No	No	No	No	No	No



Material Name: Tactical Start[™] NAP Starter Pellet No Porcine, Product Code: 5015 SDS ID: 5015

Section 16 - OTHER INFORMATION

Summary of Changes SDS: 01/06/2020 Supersodes: 08/14/2018

Supersedes: 08/14/2018

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 -Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 -Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM -ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV -Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL -Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada). **Other Information**

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of Ralco's knowledge, information and belief at the date of preparation. The information provided is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The conditions or methods of said handling, storage, use, and disposal of this product are beyond our control. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expenses arising out of or connected with the handling, storage, use, or disposal of this product. The information provided relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.