

Material Name: IntegraFlo™, Product Code: 9072

SDS ID: 9072

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name IntegraFlo[™], Product Code: 9072 Product Use Livestock Feed Premix. Restrictions on Use Use Only as Directed on Label. Details of the supplier of the safety data sheet Ralco Nutrition, Inc. 1600 Hahn Road Marshall, MN 56258 Phone: 1-800-533-5306

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200. None needed according to classification criteria. **GHS Label Elements** Symbol(s) None needed according to classification criteria. Signal Word None needed according to classification criteria Hazard Statement(s) None needed according to classification criteria. **Precautionary Statement(s)** Prevention None needed according to classification criteria. Response None needed according to classification criteria. Storage None needed according to classification criteria. Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

CAS	CAS Component Name			
12173-10-3	Clinoptilolite	75-99		
8042-47-5	White mineral oil	< 1		
1309-37-1	Iron oxide	< 1		

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS



Material Name: IntegraFlo™, Product Code: 9072

SDS ID: 9072

Section 4 - FIRST AID MEASURES

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin

Wash thoroughly after handling.

Eyes

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

Rinse mouth thoroughly with water.

Most Important Symptoms/Effects Acute

None Known. Delayed None Known. Note to Physicians Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media Suitable Extinguishing Media Water spray, regular dry chemical, carbon dioxide, fire-fighting foam. Unsuitable Extinguishing Media None Known. Fire Fighting Measures Co-ordinate fire-fighting measures to the fire surroundings. Special Protective Equipment and Precautions for Firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures
Use personal protective equipment as required.
Methods and Materials for Containment and Cleaning Up
Collect in closed and suitable containers for disposal.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Environmental Precautions
None Known.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Use Personal Protective equipment as required.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store locked up.



Material Name: IntegraFlo™, Product Code: 9072

SDS ID: 9072

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Iron oxide	1309-37-1
ACGIH:	5 mg/m3 TWA respirable particulate matter
NIOSH:	5 mg/m3 TWA as Fe dust and fume
	2500 mg/m3 IDLH as Fe dust and fume
OSHA (US):	10 mg/m3 TWA fume ; 15 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable fraction
Mexico:	5 mg/m3 TWA [VLE-PPT] respirable fraction
Calcium carbonate	471-34-1
NIOSH:	10 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable dust
Diatomaceous earth	61790-53-2
OSHA (US):	((80)/(% SiO2) mg/m3 TWA); 20 mppcf TWA

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Sufficient to maintain atmospheric concentrations below applicable regulatory limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear eye protection/face protection.

Skin Protection

Wear suitable protective clothing.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Glove Recommendations

Wear protective gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Tan powder.	Physical State	Solid.
Odor	Odorless.	Color	Tan.
Odor Threshold	Not available	рН	Not available
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available



Material Name: IntegraFlo™, Product Code: 9072

SDS ID: 9072

Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Molecular Weight	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

Possibility of hazardous reaction with strong acids and strong alkali. **Chemical Stability** The product is stable under storage at normal ambient temperatures. **Conditions to Avoid** Avoid contact with incompatible materials. **Incompatible Materials** Strong acids and strong bases. **Hazardous decomposition products** None Known.

Section 11 - TOXICOLOGICAL INFORMATION

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published: White mineral oil (8042-47-5) Oral LD50 Rat >5000 mg/kg

Iron oxide (1309-37-1)

Oral LD50 Rat >10000 mg/kg Calcium carbonate (471-34-1)

Oral LD50 Rat 6450 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

Oral > 2000 mg/kg



Material Name: IntegraFlo™, Product Code: 9072

SDS ID: 9072

Immediate Effects
No information on significant adverse effects.
Delayed Effects
No information on significant adverse effects.
Irritation/Corrosivity Data
No data available.
Respiratory Sensitization
No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

Clinoptilolite	12173-10-3
IARC:	Monograph 68 [1997] (Group 3 (not classifiable))
Iron oxide	1309-37-1
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Supplement 7 [1987] ; Monograph 1 [1972] (Group 3 (not classifiable))
DFG:	Category 3B (could be carcinogenic for man ;with the exception of non-bioavailable Ferrous oxides)
Cobalt[II] carbonate hydroxide (2:3) monohydrate	51839-24-8
IARC:	Monograph 52 [1991] (Group 2B (possibly carcinogenic to humans))
OSHA:	Present
Diatomaceous earth	61790-53-2
IARC:	Monograph 68 [1997] (Group 3 (not classifiable))

Germ Cell Mutagenicity No data available. Tumorigenic Data No data available Reproductive Toxicity No data available. Specific Target Organ Toxicity - Single Exposure No data available. Specific Target Organ Toxicity - Repeated Exposure No data available. Aspiration hazard No data available.

Medical Conditions Aggravated by Exposure No data available.



Material Name: IntegraFlo™, Product Code: 9072

SDS ID: 9072

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

White mineral oil	8042-47-5
Fish:	LC50 96 h Lepomis macrochirus >10000 mg/L
Iron oxide	1309-37-1
Fish:	LC50 96 h Danio rerio 100000 mg/L [static] (approximately)

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

No Classification assigned.

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Iron oxide	1309-37-1	Yes	Yes	Yes	Yes	Yes
Diatomaceous earth	61790-53-2	No	No	Yes	Yes	No

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)



Material Name: IntegraFlo™, Product Code: 9072

Canada Regulations

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Iron oxide	1309-37-1	1 %
------------	-----------	-----

Component Analysis - Inventory Clinoptilolite (12173-10-3)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	No	No	No	No	No

White mineral oil (8042-47-5)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	Yes	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes

Iron oxide (1309-37-1)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	Yes	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes



Material Name: IntegraFlo™, Product Code: 9072

Section 16 - OTHER INFORMATION

Preparation Date

SDS: 07/09/2019 Supersedes: 09/12/2016

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG -Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN -European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH -Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts[™] - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Nonspecific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH-Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA -Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada). **Other Information**

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of Ralco's knowledge, information and belief at the date of preparation. The information provided is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The conditions or methods of said handling, storage, use, and disposal of this product are beyond our control. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expenses arising out of or connected with the handling, storage, use, or disposal of this product. The information provided relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.