
Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

ShoMax® 110-0.50, Product Code: 5600

Product Use

Livestock Feed Premix.

Restrictions on Use

Use Only as Directed on Label.

Details of the supplier of the safety data sheet

Ralco Nutrition, Inc.
1600 Hahn Road
Marshall, MN 56258
Phone: 1-800-533-5306

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 2A

GHS Label Elements**Symbol(s)****Signal Word**

Warning.

Hazard Statement(s)

Causes skin irritation.

Causes serious eye irritation.

Precautionary Statement(s)**Prevention**

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

May form combustible dust concentrations in air.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7758-23-8	Monocalcium Phosphate	10-50
n/a	Flax (Ground)	10-30
97675-81-5	Fish meal	5-25
471-34-1	Calcium carbonate	5-25

Section 4 - FIRST AID MEASURES

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth thoroughly with water.

Most Important Symptoms/Effects**Acute**

Causes skin irritation. Causes serious eye irritation.

Delayed

None Known.

Note to Physicians

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media**Suitable Extinguishing Media**

Water spray. regular dry chemical. carbon dioxide. fire-fighting foam.

Unsuitable Extinguishing Media

None Known.

Hazardous Combustion Products

May form combustible dust concentrations in air.

Fire Fighting Measures

Co-ordinate fire-fighting measures to the fire surroundings. Knock down dust with water spray jet.

Special Protective Equipment and Precautions for Firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use Personal Protective equipment as required.

Methods and Materials for Containment and Cleaning Up

Collect in closed and suitable containers for disposal. Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Use Personal Protective equipment as required. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store in a well-ventilated place. Keep container tightly closed. Keep locked up.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Calcium carbonate	471-34-1
NIOSH:	10 mg/m3 TWA total dust; 5 mg/m3 TWA respirable dust
Magnesium oxide	1309-48-4
ACGIH:	10 mg/m3 TWA inhalable fraction
NIOSH:	750 mg/m3 IDLH fume
OSHA (US):	15 mg/m3 TWA fume, total particulate
Mexico:	10 mg/m3 TWA LMPE-PPT as Mg fume
Quartz	14808-60-7
ACGIH:	0.025 mg/m3 TWA respirable fraction
NIOSH:	0.05 mg/m3 TWA respirable dust
	50 mg/m3 IDLH respirable dust
OSHA (US):	((30)/(%SiO ₂ + 2) mg/m3 TWA) total dust; ((250)/(%SiO ₂ + 5) mppcf TWA) respirable fraction; ((10)/(%SiO ₂ + 2) mg/m3 TWA) respirable fraction
Mexico:	0.1 mg/m3 TWA LMPE-PPT respirable fraction
Diatomaceous earth	61790-53-2
OSHA (US):	((80)/(% SiO ₂) mg/m3 TWA); 20 mppcf TWA
Mexico:	10 mg/m3 TWA LMPE-PPT inhalable fraction

EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Sufficient to maintain atmospheric concentrations below applicable regulatory limits.

Individual Protection Measures, such as Personal Protective Equipment
Eye/face protection

Use suitable eye protection.

Skin Protection

Wear suitable protective clothing.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Glove Recommendations

Wear protective gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	granular form	Physical State	solid
Odor	Slight odor	Color	Brown
Odor Threshold	Not available	pH	Not available
Melting Point	Not available	Boiling Point	Not available
Freezing point	Not available	Evaporation Rate	Not available
Boiling Point Range	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available	Molecular Weight	Not available

Section 10 - STABILITY AND REACTIVITY

Reactivity

No known hazardous reactions.

Chemical Stability

The product is stable under storage at normal ambient temperatures.

Conditions to Avoid

Avoid contact with incompatible materials.

Incompatible Materials

None Known.

Hazardous decomposition products

None Known.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure**Skin Contact**

Yes.

Eye Contact

Yes.

Acute and Chronic Toxicity**Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Monocalcium Phosphate (7758-23-8)

Oral LD50 Rat 3986 mg/kg

Dermal LD50 Rabbit >2 g/kg

Calcium carbonate (471-34-1)

Oral LD50 Rat 6450 mg/kg

Sodium chloride (7647-14-5)

Oral LD50 Rat 3 g/kg

Inhalation LC50 Rat >42 g/m³ 1 h

L-Lysine HCl (657-27-2)

Oral LD50 Rat 10 g/kg

Potassium chloride (7447-40-7)

Oral LD50 Rat 2600 mg/kg

Calcium Pantothenate (137-08-6)

Oral LD50 Rat >10 g/kg

L-Tryptophan (73-22-3)

Oral LD50 Rat >16 g/kg

Quartz (14808-60-7)

Oral LD50 Rat 500 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

Magnesium oxide	1309-48-4
-----------------	-----------

ACGIH:	A4 - Not Classifiable as a Human Carcinogen
Quartz	14808-60-7
ACGIH:	A2 - Suspected Human Carcinogen
IARC:	Monograph 100C [2012]; Monograph 68 [1997] (Group 1 (carcinogenic to humans))
NTP:	Known Human Carcinogen (respirable size)
DFG:	Category 1 (causes cancer in man, alveola fraction)
OSHA:	Present (respirable size)
Diatomaceous earth	61790-53-2
IARC:	Monograph 68 [1997] (Group 3 (not classifiable))

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available.

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Sodium chloride	7647-14-5
Fish:	LC50 96 h Lepomis macrochirus 5560 - 6080 mg/L [flow-through]; LC50 96 h Lepomis macrochirus 12946 mg/L [static]; LC50 96 h Pimephales promelas 6020 - 7070 mg/L [static]; LC50 96 h Pimephales promelas 7050 mg/L [semi-static]; LC50 96 h Pimephales promelas 6420 - 6700 mg/L [static]; LC50 96 h Oncorhynchus mykiss 4747 - 7824 mg/L [flow-through]

Safety Data Sheet

Material Name: ShoMax® 110-0.50
SDS ID: 5600

Invertebrate:	EC50 48 h Daphnia magna 1000 mg/L IUCLID; EC50 48 h Daphnia magna 340.7 - 469.2 mg/L [static] EPA
Potassium chloride	7447-40-7
Fish:	LC50 96 h Lepomis macrochirus 1060 mg/L [static]; LC50 96 h Pimephales promelas 750 - 1020 mg/L [static]
Algae:	EC50 72 h Desmodesmus subspicatus 2500 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 825 mg/L IUCLID; EC50 48 h Daphnia magna 83 mg/L [static] EPA

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

No Classification assigned.

TDG Information:

No Classification assigned.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Magnesium oxide	1309-48-4	Yes	Yes	Yes	Yes	Yes
Quartz	14808-60-7	No	Yes	Yes	Yes	Yes
Diatomaceous earth	61790-53-2	No	No	Yes	Yes	No

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer

Safety Data Sheet

Material Name: ShoMax® 110-0.50
SDS ID: 5600

Quartz	14808-60-7
Carc:	carcinogen , 10/1/1988 (airborne particles of respirable size)

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Magnesium oxide	1309-48-4
	1 %
Quartz	14808-60-7
	1 %

Component Analysis - Inventory
Monocalcium Phosphate (7758-23-8)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Calcium carbonate (471-34-1)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Sodium chloride (7647-14-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

L-Lysine HCl (657-27-2)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Potassium chloride (7447-40-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

Summary of Changes

New SDS: 12/11/2015

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of Ralco's knowledge, information and belief at the date of preparation. The information provided is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The conditions or methods of said handling, storage, use, and disposal of this product are beyond our control. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expenses arising out of or connected with the handling, storage, use, or disposal of this product. The information provided relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.