
Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

KickStarter™ Pre-Starter Pellet, Product Code:5818

Product Use

Swine Starter Feed.

Restrictions on Use

Use Only as Directed on Label.

Details of the supplier of the safety data sheet

Ralco Nutrition, Inc.
1600 Hahn Road
Marshall, MN 56258
Phone: 1-800-533-5306

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria

GHS Label Elements**Symbol(s)**

None needed according to classification criteria.

Signal Word

None needed according to classification criteria.

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)**Prevention**

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

May form combustible dust concentrations in air.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
n/a	DairyLac 80	15-35
n/a	Oat Groats (Rolled)	8-17
n/a	Soy Meal 46 2.93L	5-15

Section 4 - FIRST AID MEASURES

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin

Wash thoroughly after handling.

Eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

Rinse mouth thoroughly with water.

Note to Physicians

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media**Suitable Extinguishing Media**

Water spray. regular dry chemical. carbon dioxide. fire-fighting foam.

Unsuitable Extinguishing Media

None Known.

Fire Fighting Measures

Co-ordinate fire-fighting measures to the fire surroundings.

Special Protective Equipment and Precautions for Firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use Personal Protective equipment as required.

Methods and Materials for Containment and Cleaning Up

Dispose of contents/container in accordance with local/regional/national/international regulations. Collect in closed and suitable containers for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Use Personal Protective equipment as required. Provide adequate ventilation.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Keep away from heat.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Calcium Carbonate	471-34-1
NIOSH:	10 mg/m3 TWA total dust; 5 mg/m3 TWA respirable dust
Red Iron	1309-37-1
ACGIH:	5 mg/m3 TWA respirable fraction
NIOSH:	5 mg/m3 TWA as Fe dust and fume
	2500 mg/m3 IDLH as Fe dust and fume
OSHA (US):	10 mg/m3 TWA fume; 15 mg/m3 TWA total dust; 5 mg/m3 TWA respirable fraction
Mexico:	5 mg/m3 TWA LMPE-PPT
	10 mg/m3 STEL [LMPE-CT] as Fe
Diatomaceous earth	61790-53-2
OSHA (US):	((80)/(% SiO ₂) mg/m3 TWA); 20 mppcf TWA

Safety Data Sheet

Material Name: KickStarter™ Pre-Starter Pellet
SDS ID: 5818

Mexico:	10 mg/m3 TWA LMPE-PPT inhalable fraction
Quartz	14808-60-7
ACGIH:	0.025 mg/m3 TWA respirable fraction
NIOSH:	0.05 mg/m3 TWA respirable dust
	50 mg/m3 IDLH respirable dust
OSHA (US):	((30)/(%SiO ₂ + 2) mg/m3 TWA) total dust; ((250)/(%SiO ₂ + 5) mppcf TWA) respirable fraction; ((10)/(%SiO ₂ + 2) mg/m3 TWA) respirable fraction
Mexico:	0.1 mg/m3 TWA LMPE-PPT respirable fraction

EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Sufficient to maintain atmospheric concentrations below applicable regulatory limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Use suitable eye protection.

Skin Protection

Wear suitable protective clothing.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Glove Recommendations

Wear protective gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	pellet	Physical State	solid
Odor	Slight Odor	Color	light brown
Odor Threshold	Not available	pH	Not available
Melting Point	Not available	Boiling Point	Not available
Freezing point	Not available	Evaporation Rate	Not available
Boiling Point Range	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available	Molecular Weight	Not available

Section 10 - STABILITY AND REACTIVITY

Reactivity

No known hazardous reactions.

Chemical Stability

The product is stable under storage at normal ambient temperatures.

Conditions to Avoid

Avoid contact with incompatible materials.

Incompatible Materials

None Known.

Hazardous decomposition products

None Known.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure**Inhalation**

Yes.

Acute and Chronic Toxicity**Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Calcium Carbonate (471-34-1)

Oral LD50 Rat 6450 mg/kg

Sodium chloride (7647-14-5)

Oral LD50 Rat 3 g/kg

Inhalation LC50 Rat >42 g/m³ 1 h

Red Iron (1309-37-1)

Oral LD50 Rat >10000 mg/kg

Zeolite (1318-02-1)

Oral LD50 Rat 5000 mg/kg

Dermal LD50 Rabbit >2000 mg/kg

Inhalation LC50 Rat 2.4 mg/L 1 h

Cobalt Carbonate (513-79-1)

Oral LD50 Rat 640 mg/kg

White mineral oil (8042-47-5)

Oral LD50 Rat >5000 mg/kg

Quartz (14808-60-7)

Oral LD50 Rat 500 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

Red Iron	1309-37-1
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Supplement 7 [1987]; Monograph 1 [1972] (Group 3 (not classifiable))
DFG:	Category 3B (could be carcinogenic for man, with the exception of non-bioavailable ferrous oxides)
Zeolite	1318-02-1
IARC:	Monograph 68 [1997] (other than erionite clinoptilolite phillipsite mordenite non-fibrous Japanese zeolite synthetic zeolites) (Group 3 (not classifiable))
Cobalt Carbonate	513-79-1
IARC:	Monograph 52 [1991] (Group 2B (possibly carcinogenic to humans))
DFG:	Category 2 (considered to be carcinogenic for man)
OSHA:	Present
Diatomaceous earth	61790-53-2
IARC:	Monograph 68 [1997] (Group 3 (not classifiable))
Quartz	14808-60-7
ACGIH:	A2 - Suspected Human Carcinogen
IARC:	Monograph 100C [2012]; Monograph 68 [1997] (Group 1 (carcinogenic to humans))
NTP:	Known Human Carcinogen (respirable size)
DFG:	Category 1 (causes cancer in man, alveola fraction)
OSHA:	Present (respirable size)

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available.

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Sodium chloride	7647-14-5
Fish:	LC50 96 h Lepomis macrochirus 5560 - 6080 mg/L [flow-through]; LC50 96 h Lepomis macrochirus 12946 mg/L [static]; LC50 96 h Pimephales promelas 6020 - 7070 mg/L [static]; LC50 96 h Pimephales promelas 7050 mg/L [semi-static]; LC50 96 h Pimephales promelas 6420 - 6700 mg/L [static]; LC50 96 h Oncorhynchus mykiss 4747 - 7824 mg/L [flow-through]
Invertebrate:	EC50 48 h Daphnia magna 1000 mg/L IUCLID; EC50 48 h Daphnia magna 340.7 - 469.2 mg/L [static] EPA
Zeolite	1318-02-1
Fish:	LC50 96 h Brachydanio rerio 1800 mg/L [semi-static]; LC50 96 h Oryzias latipes 3200 - 5600 mg/L [semi-static]; LC50 96 h Poecilia reticulata 1800 - 3200 mg/L [semi-static]
Algae:	EC50 96 h Desmodesmus subspicatus 18 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 1000 - 1800 mg/L IUCLID
White mineral oil	8042-47-5
Fish:	LC50 96 h Lepomis macrochirus >10000 mg/L

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

No Classification assigned.

TDG Information:

No Classification assigned.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Red Iron	1309-37-1	Yes	Yes	Yes	Yes	Yes
Diatomaceous earth	61790-53-2	No	No	Yes	Yes	No
Quartz	14808-60-7	No	Yes	Yes	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer

Quartz	14808-60-7
Carc:	carcinogen , 10/1/1988 (airborne particles of respirable size)

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Red Iron	1309-37-1
	1 %
Quartz	14808-60-7
	1 %

Section 16 - OTHER INFORMATION

Summary of Changes

New SDS: 11/20/2015

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of Ralco's knowledge, information and belief at the date of preparation. The information provided is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The conditions or methods of said handling, storage, use, and disposal of this product are beyond our control. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expenses arising out of or connected with the handling, storage, use, or disposal of this product. The information provided relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.