

Safety Data Sheet

Material Name: Down Shift™, Product Code: 5649

SDS ID: 5649

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

Down Shift™, Product Code: 5649

Product Use

Livestock Feed Supplement.

Restrictions on Use

Use Only as Directed on Label.

Details of the supplier of the safety data sheet

Ralco Nutrition, Inc.
1600 Hahn Road
Marshall, MN 56258
Phone: 1-800-533-5306

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria.

GHS Label Elements

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

May form combustible dust concentrations in air.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
n/a	Beet Pulp	20-60
n/a	Oat Groats	10-40
n/a	Extruded Soy bean meal	1-15

Section 4 - FIRST AID MEASURES**Inhalation**

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin

Wash thoroughly after handling.

Eyes

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

Rinse mouth thoroughly with water.

Most Important Symptoms/Effects**Acute**

None Known.

Delayed

None Known.

Note to Physicians

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES**Extinguishing Media****Suitable Extinguishing Media**

Water spray, regular dry chemical, carbon dioxide, fire-fighting foam.

Unsuitable Extinguishing Media

None Known.

Hazardous Combustion Products

May form combustible dust concentrations in air.

Fire Fighting Measures

Co-ordinate fire-fighting measures to the fire surroundings.

Knock down dust with water spray jet.

Special Protective Equipment and Precautions for Firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Section 6 - ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment and Emergency Procedures**

Use Personal Protective equipment as required.

Methods and Materials for Containment and Cleaning Up

Collect in closed and suitable containers for disposal.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental Precautions

None Known.

Safety Data Sheet

Material Name: Down Shift™, Product Code: 5649

SDS ID: 5649

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Use Personal Protective equipment as required.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place.

Keep container tightly closed.

Store locked up.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Calcium carbonate	471-34-1
NIOSH:	10 mg/m ³ TWA total dust ; 5 mg/m ³ TWA respirable dust

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Sufficient to maintain atmospheric concentrations below applicable regulatory limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear eye/face protection.

Skin Protection

Wear suitable protective clothing.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Glove Recommendations

Wear protective gloves.

Safety Data Sheet

Material Name: Down Shift™, Product Code: 5649

SDS ID: 5649

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Coarse.	Physical State	Solid.
Odor	Sweet odor.	Color	Dark brown.
Odor Threshold	Not available	pH	Not available
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Molecular Weight	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

No known hazardous reactions.

Chemical Stability

The product is stable under storage at normal ambient temperatures.

Conditions to Avoid

Avoid contact with incompatible materials.

Incompatible Materials

None Known.

Hazardous decomposition products

None Known.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

Yes.

Safety Data Sheet

Material Name: Down Shift™, Product Code: 5649

SDS ID: 5649

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Calcium phosphate monohydrate (10031-30-8)

Oral LD50 Rat 17500 mg/kg

L-Lysine HCl (657-27-2)

Oral LD50 Rat 10 g/kg

Sodium chloride (7647-14-5)

Oral LD50 Rat 3 g/kg

Inhalation LC50 Rat >42 g/m³ 1 h

Calcium carbonate (471-34-1)

Oral LD50 Rat 6450 mg/kg

Potassium chloride (7447-40-7)

Oral LD50 Rat 2600 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

Inhalation - Dust and Mist	> 5 mg/L
Oral	> 2000 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available.

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Safety Data Sheet

Material Name: Down Shift™, Product Code: 5649

SDS ID: 5649

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

L-Lysine HCl	657-27-2
Fish:	LC50 96 h Oryzias latipes >103 mg/L [semi-static]
Sodium chloride	7647-14-5
Fish:	LC50 96 h Lepomis macrochirus 5560 - 6080 mg/L [flow-through]; LC50 96 h Lepomis macrochirus 12946 mg/L [static]; LC50 96 h Pimephales promelas 6020 - 7070 mg/L [static]; LC50 96 h Pimephales promelas 7050 mg/L [semi-static]; LC50 96 h Pimephales promelas 6420 - 6700 mg/L [static]; LC50 96 h Oncorhynchus mykiss 4747 - 7824 mg/L [flow-through]
Invertebrate:	EC50 48 h Daphnia magna 1000 mg/L IUCLID ; EC50 48 h Daphnia magna 340.7 - 469.2 mg/L [Static] EPA
Potassium chloride	7447-40-7
Fish:	LC50 96 h Lepomis macrochirus 1060 mg/L [static]; LC50 96 h Pimephales promelas 750 - 1020 mg/L [static]
Algae:	EC50 72 h Desmodesmus subspicatus 2500 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 825 mg/L IUCLID ; EC50 48 h Daphnia magna 83 mg/L [Static] EPA

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

No Classification assigned.

International Bulk Chemical Code

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Soybean oil	8001-22-7
IBC Code:	Category Y
Potassium chloride	7447-40-7
IBC Code:	Category Z (solution)

Safety Data Sheet

Material Name: Down Shift™, Product Code: 5649

SDS ID: 5649

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Soybean oil	8001-22-7	No	No	No	No	Yes

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

Canada Regulations

Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

Component Analysis - Inventory

Beet Pulp (n/a)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	No	No	No	No	No	No

Oat Groats (n/a)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	No	No	No	No	No	No

Extruded Soy bean meal (n/a)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	No	No	No	No	No	No

Safety Data Sheet

Material Name: Down Shift™, Product Code: 5649

SDS ID: 5649

Section 16 - OTHER INFORMATION

Preparation Date

SDS: 06/10/2019

Supersedes: 12/28/2018

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne - Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of Ralco's knowledge, information and belief at the date of preparation. The information provided is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The conditions or methods of said handling, storage, use, and disposal of this product are beyond our control. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expenses arising out of or connected with the handling, storage, use, or disposal of this product. The information provided relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.